Appl. No. 10/602,223

Amdt. sent December 14, 2005

Reply to Office Action of October 4, 2005

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1	1. (currently amended) A remote copy system, comprising:			
2	a first storage system including a first storage controller and a first data volume,			
3	the first storage controller being configured to receive a write request from a first host associated			
4	with the first storage system and to store write data associated with the write request control data			
5	access requests to the first data volume, the first storage system being configured to store write			
6	data in the first data volume upon receiving a write request from a first host associated with the			
7	first storage system and generate a journal including control data and journal data;			
8	a second storage system including a second storage controller and a second data			
9	volume, the second storage controller system being configured to receive and store data			
10	corresponding to receiving first data containing the write data to mirror the first data volume in			
11	to the second data volume; and			
12	a third storage system including a third storage controller and a third data volume,			
13	the third storage controller system being configured to receive and store data corresponding to			
14	the write data to receiving second data containing a journal to mirror the first data volume in the			
15	third data volume, wherein the journal comprises the write data and a sequence number			
16	indicating write ordering to the first data volume;			
17	wherein the write request from the first host to the first storage system completes			
18	after the write first data are copied to is received by the second storage system;			
19	wherein the write request from the first host to the first storage system completes			
20	independently of the second data being received by the third storage system;			
21	wherein write data to be stored on the third data volume is generated according to			
22	the write order provided by the sequence number of the journal that is contained in the second			
23	data.			

Appl. No. 10/602,223
Amdt. sent December 14, 2005
Reply to Office Action of October 4, 2005

24

25

26

3

4

5

- wherein the journal data of the journal are received to the third data volume independently from completion of the write request according to information provided in the control data.
 - 2. (canceled)
- 3. (original) The remote copy system of claim 1, wherein the second storage system is located relatively close to the first storage system and the third storage system is located relatively far from the first storage system.
- 4. (original) The remote copy system of claim 3, wherein the second storage system is located within 100 miles of the first storage system and the third storage system is located more than 100 miles from the first storage system.
 - 5-6. (canceled
- 7. (previously presented) The remote copy system of claim 1, further comprising:
 - a second host coupled to the second storage system, wherein the second storage system is configured to function as a primary storage system if the first storage system experiences failure.
 - 8-11. (canceled)
- 1 12. (previously presented) The remote copy system of claim 1, further 2 comprising a third host coupled to the third storage system, wherein the third storage system is 3 configured to replace the first storage system as a primary storage system if the first storage 4 system experiences failure.
 - 13-23. (canceled)

1	24.	(currently amended)	The remote copy system of claim 1, wherein the		
2	control data-journal further includes a time when the write data are stored in the first data volume				
3	based on the write red	quest from the first hos	st.		

- 25. (currently amended) The remote copy system of claim 1, wherein the journal data of the journal are is received to at the third data volume after the write data are copied to the second storage system to secure the write data when the first storage system experiences failure.
 - 26. (currently amended) A remote copy system, comprising:

a first storage system including a first storage controller and a first data volume, the first storage controller being configured to receive a write request from a first host associated with the first storage system and to store write data associated with the write request control data access requests to the first data volume, the first storage system being configured to store write data in the first data volume upon receiving a write request from a first host associated with the first storage system and generate a journal including control data and journal data;

a second storage system including <u>a second storage controller and</u> a second data volume, the second storage <u>controller system</u>-being configured to synchronously receive and store data corresponding to <u>first data containing</u> the write data to <u>mirror</u> the first data volume in the second data volume; and

a third storage system including a third storage controller and a third data volume, the third storage controller system-being configured to asynchronously receive second data containing a journal to mirror the first data volume in the third data volume, wherein the journal comprises the write data and a sequence number indicating write ordering to the first data volume, wherein write data to be stored on the third data volume is generated according to the write order provided by the sequence numberand store data corresponding to the journal data of the journal in the third data volume according to information provided in the control data.